

UPPER DOORS OPEN BY  
UNLATCHING IN LOWER  
COMPARTMENT AND CAN  
BE CLOSED INDEPENDENTLY


ALUMINUM NO. PLATE

TWO SGL. PRONG WALL  
HOOKS PER OPENING


LOCK HOLE COVER PL.

STAINLESS RECESSED  
POCKET W/ PADLOCK  
EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



60"

24GA. BODY &  
TIER HEADS

SECTION @ WALL

60" HIGH TWO PERSON GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
TYPICAL FOR 12" & 15" DEEP

This drawing shows a standard Penco Product. Any modifications  
to the product must be approved by Penco Engineering. 8/6/2001



151560G2P.dwg

UPPER DOORS OPEN BY  
UNLATCHING IN LOWER  
COMPARTMENT AND CAN  
BE CLOSED INDEPENDENTLY


ALUMINUM NO. PLATE

TWO SGL. PRONG WALL  
HOOKS EA. OPENING


LOCK HOLE COVER PL.

STAINLESS RECESSED  
POCKET W/ PADLOCK  
EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



24GA. BODY &  
TIER HEADS

SECTION @ WALL

72" TWO PERSON GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
TYPICAL FOR 12" & 15" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001



UPPER DOORS OPEN BY  
UNLATCHING IN LOWER  
COMPARTMENT AND CAN  
BE CLOSED INDEPENDENTLY


ALUMINUM NO. PLATE

ONE COAT ROD &  
TWO SGL. PRONG WALL  
HOOKS EA. OPENING


LOCK HOLE COVER PL.

STAINLESS RECESSED  
POCKET W/ PADLOCK  
EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



72"

24GA. BODY &  
TIER HEADS

SECTION @ WALL

72" HIGH TWO PERSON GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
TYPICAL FOR 18" & 21" DEEP

This drawing shows a standard Penco Product. Any modifications  
to the product must be approved by Penco Engineering. 8/6/2001



151872G2P.dwg


ALUMINUM NO. PLATE

THREE SGL. PRONG WALL  
HOOKS EA. OPENING


LOCK HOLE COVER PLATE

STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



SECTION @ WALL

24GA. BODY &  
TIER HEADS

60" DUPLEX GUARDIAN KNOCKDOWN LOCKER  
TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
15" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001




151560GDx.dwg

ALUMINUM NO. PLATE


THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



72"

18"

24GA. BODY &  
TIER HEADS

SECTION @ WALL

72" DUPLEX GUARDIAN KNOCKDOWN LOCKER

15" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
15" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001




151572GDX.dwg

ALUMINUM NO. PLATE


ONE COAT ROD &  
THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



24GA. BODY &  
TIER HEADS

SECTION @ WALL

60" DUPLEX GUARDIAN KNOCKDOWN LOCKER  
TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
TYPICAL FOR 18" & 21" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001




151860GDX.dwg

ALUMINUM NO. PLATE


ONE COAT ROD &  
THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/  
18GA. DOORS



ELEVATION



SECTION @ WALL

**72" DUPLEX GUARDIAN KNOCKDOWN LOCKER**  
 TYPICAL 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
 18" & 21" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001

