Printing date 04/17/2015

Reviewed on 04/13/2015

1 Identification

· Product identifier

· Trade name: Sea Air

· Article number: 36100

· Details of the supplier of the safety data sheet

'Supplier:

Penco Products Inc. 1820 Stonehenge Dr. Greenville NC 27858

USA

· Phone number: '252-917-5287.

· Emergency telephone number: INFOTRAC 800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Toxicity - oral: Catagory 4 Skin Irritation: Catagory 2 Sensitization - skin: Catagory 1

Flammable Liquids: Catagory 4

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

2-(4-tert-Butylbenzyl)propionaldehyde

(R)-p-mentha-1,8-diene

Geraniol

Coumarin

· Hazard statements

Combustible liquid.

Harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

(Contd. of page 1)

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Rinse mouth.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	1
FIRE	2
REACTIVIT	Y 0

Health = 1

Fire = 2

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

140-11-4	benzyl acetate
98-55-5	p-menth-1-en-8-ol
	Flam. Liq. 4, H227
5989-27-5	(R)-p-mentha-1,8-diene
	♠ Flam. Liq. 3, H226; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317
106-24-1	Geraniol
	♦ Skin Sens. 1, H317; Flam. Liq. 4, H227
80-54-6	2-(4-tert-Butylbenzyl)propionaldeltyde
	♠ Acute Tox. 3, H301; ♠ Skin Sens. 1, H317
101-86-0	HEXYL CINNAMIC ALDEHYDE
	♠ Skin Sens. 1, H317

ÚS.

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

	(Contd. of page 2
122-40-7	Amyl cinnamal
	🕥 Skin Sens. 1, H317
	Coumarin
	♠ Acute Tox. 3, H301; ♠ Skin Sens. 1, H317
107-75-5	Hydroxy-citronellal
	🕏 Skin Irrit. 2, H315; Skin Sens. 1, H317
78-70-6	Linalool
	🚯 Skin Sens. 1, H317; Flam. Liq. 4, H227
8028-48-6	Orange Oil 5X
	♠ Flam. Liq. 3, H226; ♠ Asp. Tox. 1, H304; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

(Contd. of page 3)

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

140-11-4 benzyl acetate

TLV Long-term value: 61 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physical and c	hemical properties
General Information	
Appearance:	T
Form:	Liquid
Color:	Yellow
Odor: Odour threshold:	Characteristic Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	173 °C (343 °F)
Flash point:	71 °C (160 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	255 °C (491 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Not determined,
Explosion limits:	£**
Lower:	0.7 Vol %
Upper:	6.1 Vol %
Vapor pressure at 20 °C (68 °F):	2.3 hPa (2 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	2.
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	e .
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 6)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

		(Contd. of page
Solvent content:		
Organic solvents:	10.4 %	
VOC content:	10.4 %	
	104.0 g/l / 0.87 lb/gl	
Solids content:	1.3 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

98-55-5 p-menth-1-en-8-ol		3200	
Oral LD50 4300 mg/kg (rat)			W. Live
5989-27-5 (R)-p-mentha-1,8-	diene		

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

140-11-4	benzyl acetate	3
5989-27-5	(R)-p-mentha-1,8-diene	3
91-64-5	Coumarin	3

(Contd. on page 7)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		170
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name		Ÿ
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	

(Contd. on page 8)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

Contd. of page 7)

• Environmental hazards:
• Marine pollutant:

• Special precautions for user

• Not applicable.

• Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

• Not applicable.

• UN "Model Regulation":

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

140-11-4 benzyl acetate

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

· Signal word Warning

(Contd. of page 8)

· Hazard-determining components of labeling:

2-(4-tert-Butylbenzyl)propionaldehyde

(R)-p-mentha-1,8-diene

Geraniol

Coumarin

· Hazard statements

Combustible liquid.

Harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention,

Rinse mouth.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

· Date of preparation / last revision 04/17/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 10)

Printing date 04/17/2015

Reviewed on 04/13/2015

Trade name: Sea Air

(Contd. of page 9)

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3
Flam. Liq. 4: Flammable liquids, Hazard Category 4
Acute Tox. 3: Acute toxicity, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1