

Finish: **None**

Color: **Clear**

Product Line:  
Part Type:  
Sub Type:  
Project:

Fully Framed Lockers

Wall

D

Self drilling screw 4 places (near each corner) to anchor lockers together

DETAIL H  
SCALE 1 : 1

**General Anchoring of Penco Lockers**  
[Actual anchoring should be done according to local codes and regulations as requirements vary by state and region].

G

DETAIL G  
SCALE 1 : 1

concrete base

SECTION D-D  
SCALE 1 : 16

D

REV	DESCRIPTION	BY	DATE

Box Number:  
Qty/Box:


Material	DO NOT SCALE DRAWING UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES REMOVE ALL BURRS AND SHARP EDGES TOLERANCES: DECIMAL .X = ± .1" .XX = ± .02" .XXX = ± .010" ANGLULAR ± .5 °	<b>PROPRIETARY AND CONFIDENTIAL</b> THIS DOCUMENT AND ANY OF ITS CONTENT, IN WHOLE AND IN PART, IS THE PROPERTY OF PENCO PRODUCTS AND MAY NOT BE DISTRIBUTED, COPIED, OR USED WITHOUT PENCO'S WRITTEN CONSENT.	<b>PENCO PRODUCTS, INC.</b> 1820 Stonehenge Dr. Greenville, NC		
Weight: <b>1042.867 lbs.</b>				DRAWN BY <b>CC</b>	DATE <b>04/09/2020</b>
Freight Class:				Approved By:	Date
HTS Code:	NMFC Code:	DWG NO. <b>Anchoring FF</b>	REV		
SCALE 1:24		Drawing Size: B	SHEET 1 OF 3		

Finish: **None**



Color: **Clear**

Product Line:
Part Type:
Sub Type:
Project:

Min #8 Anchor Scew -put through locker back and into wall stud on 32" centers minimum



DETAIL E  
SCALE 1 : 1



SECTION D-D  
SCALE 1 : 16

General Anchoring of Penco Lockers  
[Actual anchoring should be done according to local codes and regulations as requirements vary by state and region].

REV	DESCRIPTION	BY	DATE

Box Number:

Qty/Box:

Material
Weight: <b>1042.867 lbs.</b>
Freight Class:
HTS Code:
NMFC Code:

DO NOT SCALE DRAWING  
UNLESS OTHERWISE NOTED  
DIMENSIONS ARE IN INCHES  
REMOVE ALL BURRS AND  
SHARP EDGES

TOLERANCES:  
DECIMAL  
.X = ± .1"  
.XX = ± .02"  
.XXX = ± .010"  
ANGULAR ± .5 °

**PROPRIETARY AND CONFIDENTIAL**  
THIS DOCUMENT AND ANY OF ITS  
CONTENT, IN WHOLE AND IN PART, IS THE  
PROPERTY OF PENCO PRODUCTS AND MAY  
NOT BE DISTRIBUTED, COPIED, OR USED  
WITHOUT PENCO'S WRITTEN CONSENT.

DRAWN BY  
**CC**

DATE  
**04/09/2020**

Approved By:  
Date



**PENCO** **PENCO PRODUCTS, INC.**  
1820 Stonehenge Dr. Greenville, NC

DWG NO. **Anchoring FF** REV


SCALE 1:24 Drawing Size: B SHEET 2 OF 3

Finish: **None**  
 Color: **Clear**

Product Line:  
 Part Type:  
 Sub Type:  
 Project:



SECTION D-D  
 SCALE 1 : 16



DETAIL F  
 SCALE 1 : 1

Flat Head Wedge Anchor - installed through locker bottom near the front and back of the locker on 32" wide centers

**General Anchoring of Penco Lockers**  
 [Actual anchoring should be done according to local codes and regulations as requirements vary by state and region].

Material	DO NOT SCALE DRAWING UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES REMOVE ALL BURRS AND SHARP EDGES	<b>PROPRIETARY AND CONFIDENTIAL</b> THIS DOCUMENT AND ANY OF ITS CONTENT, IN WHOLE AND IN PART, IS THE PROPERTY OF PENCO PRODUCTS AND MAY NOT BE DISTRIBUTED, COPIED, OR USED WITHOUT PENCO'S WRITTEN CONSENT.	<b>PENCO PRODUCTS, INC.</b> 1820 Stonehenge Dr. Greenville, NC
Weight: <b>1042.867 lbs.</b>	TOLERANCES: DECIMAL .X = ± .1" .XX = ± .02" .XXX = ± .010" ANGULAR ± .5 °		
Freight Class:	HTS Code:	DRAWN BY <b>CC</b>	DATE <b>04/09/2020</b>
	NMFC Code:	Approved By:	Date

REV	DESCRIPTION	BY	DATE

Box Number:  
 Qty/Box: